Town of ????

Pandemic Continuity of Operations Plan

Revised: April 1, 2020

Table of Contents

- 1. Overview and Context
 - a. Pandemic Overview
 - b. Pandemic Alert Phases
- 2. Purpose
- 3. Objectives
- 4. Planning Assumptions
- 5. Role of Town
- 6. Authority and Protocols
- 7. Essential Government Services
- 8. Operational Response
- 9. Communication
- 10. Prevention and Control
- 11. Employee Health and Safety
- 12. Pandemic Policies
- 13. Glossary
- 14. Annex

Overview and Context

Pandemic Overview

Pandemics represent one of the greatest potential threats to the public's health. Pandemics are distinct from seasonal epidemics that happen nearly every year, causing an average of 36,000 deaths annually in the United States. Viruses that circulate globally in humans cause seasonal epidemics. Over time, people develop some degree of immunity to these viruses, and vaccines are developed annually to protect people from serious illness. Pandemic refers to a worldwide epidemic due to a new, dramatically different strain of virus to which there is no immunity. The new virus strain may spread rapidly from person to person and, if severe, may cause high levels of disease and death around the world.

The worldwide public health and scientific community is increasingly concerned about the potential for a pandemic outbreak to spread across several continents. Although many officials believe it is inevitable that future pandemics will occur, it is impossible to predict the exact timing of their arrival. It is difficult to predict the severity of the next pandemic, if it will be associated with the current strains or an entirely different strain, and whether the pandemic virus strain will be treatable with exiting medicines. The Centers for Disease Control and Prevention (CDC) estimates that in the U.S. alone, a pandemic could infect up to 200 million people and cause between 200,000 and 1,900,000 deaths.

There are several characteristics of a pandemic that differentiate it from other public health emergencies. Unlike other natural disasters, where any disruption to business service provision is likely to be infrastructure-related, disruption to business operations in the event of a pandemic is anticipated to be mainly human-resource oriented. A pandemic has the potential to cause illness in a very large number of people. A pandemic could overwhelm the health care system and jeopardize essential community services by causing high levels of absenteeism in the workforce. Basic services, such as health care, law enforcement, fire, emergency response, communications, transportation, and utilities could be disrupted during a pandemic. Finally, the pandemic, unlike many other emergency events, could last many months and affect many areas throughout the world simultaneously.

In a pandemic situation, the goal is to slow the spread of disease to prevent illness. The most effective strategy to accomplish this is through vaccination. However, it is likely that effective vaccines will not be available for many months following the emergence of a new pandemic strain. Existing antiviral medications may also not be effective or available. Other infection control strategies such as social distancing, improved hygiene and respiratory etiquette, isolation, and quarantine may be used to control the spread of disease.

Pandemic Alert Phases

The ????? County Health Department, in conjunction with the North Carolina Department of Health and Human Services, is responsible for the coordination of all public health measures in ????? County. Beyond the traditional scope of medical care, the priorities in a pandemic response will be: communication of medical information, disease surveillance, vaccine delivery, distribution of medications, public health authority and disease control. Certain key actions may be accomplished in these priority areas during each phase of a pandemic. In the Town of ??????, we will support the ?????? County Public Health Department in their response.

The World Health Organization (WHO) has established six phases of pandemic alert as a system for informing the world of the seriousness of the threat and of the need to launch progressively more intense preparedness activities. The State of North Carolina has taken the World Health Organization's Pandemic Phases and developed corresponding Minnesota Response phases. Each North Carolina Response Phase has a Lead Technical Agency that leads the State's efforts.

Response Phase	Type of Transmission	Lead Technical Agency			
	Inter-Pandemic Period				
1	Avian/Animal to Avian/Animal	Department of Natural Resources Department of Agriculture			
2	Avian/Animal to Avian/Animal	Department of Natural Resources Department of Agriculture			
	Pandemic Alert Period				
3	Limited human infection, not spread human to human	NC Department of Health			
4 Limited human to human transmission NC Departme		NC Department of Health			
5 Significant human to human transmission NC Department of He		NC Department of Health			
	Pandemic Period				
6	Sustained human to human transmission NC Department of Hea				

Purpose

The primary purpose of the Pandemic Continuity of Operations Plan is to enable the Town of ????? to respond effectively and efficiently to a pandemic in maintaining essential town services. This plan is not meant to replace the Town of ???? Emergency Operations Plan but rather to be a supplement to that plan. Employees engaged in planning, mitigation and recovery are encouraged to familiarize themselves with both plans. The Town Manager may deviate from this plan as appropriate.

Objectives

The Town's objectives during a local pandemic are the following:

- 1. Reduce transmission of the pandemic virus strain among our citizens and employees;
- 2. Minimize illness among employees;
- 3. Maintain essential Town operations and services; and
- 4. Minimize the economic impact of a pandemic upon our community.

Planning Assumptions

The following worst-case scenario planning assumptions were used in the development of this continuity plan.

TIME PERIOD

- 1. There may be less than six weeks of warning from the time the pandemic is announced before it reaches North Carolina.
- 2. The time interval between alert phases may be rapid (ranging from days, to weeks, to months).
- 3. The pandemic may last eighteen months in several waves with mortality and morbidity increasing and decreasing sporadically.
- 4. Waves of severe disease may last 1 to 4 months.

PREVENTION AND TREATMENT

- 1. A vaccine may not be available for many months after a pandemic begins and supplies may be limited.
- 2. Antivirals may not treat or protect against the pandemic virus strain.
- 3. Effective antiviral medications (e.g. Tamiflu) may be in very limited supply and their distribution may occur in phases.
- 4. Infection control (e.g. respiratory etiquette, hand hygiene) strategies will be used to slow the spread of disease.
- 5. Social distancing strategies (e.g. postponing public gatherings) may be used to control the spread.

- 6. Isolation of ill people will be required.
- 7. Quarantine of healthy people exposed to ill people may be implemented.

STAFFING

- 1. Up to 40% absenteeism from work by staff and vendors may occur.
- 2. Absenteeism will be the result of workers becoming ill, staying home to care for children or family members, or refusal to go to work.
- 3. Persons who become ill are likely to miss a few days to many weeks of work.

PROVIDERS OF SERVICES / PRODUCTS

- 1. Town services will be stressed, but essential services will remain functional.
- 2. Functions carried out by contractors, consultants and vendors may be erratic.
- 3. The Town may not be able to rely on mutual aid resources from county, state or federal agencies to support local response efforts.

Role of the Town

The Town of ???? Pandemic Continuity of Operations Plan further groups the World Health Organization's phases into three color-coded Activity Phases. During the Yellow Phase, activities are primarily centered on ensuring response capabilities. Activities during the Red Activity Phase center on closer monitoring and response a pandemic threat. The green Activity Phase is concerned with returning Town operations to normal.

Activity Phase		Town of ????		
		Overview of Activities		
	No new virus subtypes have been detected. If present in animals, the risk of human infection or disease is low.	 STRENGTHEN PREPAREDNESS: Activity Phase 1 Update Town Continuity of Operations Plan (COP) Prioritize department activities 		
Yellow = Preparedness	No new virus subtypes have been detected in humans. However, a circulating animal subtype poses a substantial risk of human disease.	 MINIMIZE THE RISK: Activity Phase 2 Educate Town employees about preventative hygiene. Post hygiene reminders in key locations within town buildings. Stockpile materials such as masks and gloves. Explore alternative minimal staffing models and cross training needs. 		
Red = Response	Human infection(s) with a new subtype, but no human-to- human spread, or at most rare instances of spread to a close contact. Small cluster(s) with limited human-to- human transmission, but spread is highly localized, suggesting	 EARLY MONITORING, DETECTION, NOTIFICATION: Activity Phase 3 & 4 Share real-time accurate information with the Johnston County Health Department and Johnston County Emergency Management Director. Provide timely information to employees and assist the Johnston County Health Department with the dissemination of the information or residents and businesses. 		

	that the virus is not well adapted to humans.	 Carry out disease surveillance and control activities CONTAINMENT: Activity Phase 5
	Larger cluster(s) but human-to-human spread still localized, suggesting that the virus is becoming increasingly better adapted to humans, but may not yet be	 Assist with infection control guidance (isolation, quarantine, and social distancing) Monitor employees for signs of and send them home as necessary. RESPONSE: Activity Phase 6
	fully transmissible (substantial pandemic risk).	 Assist the Johnston County Health Department in the distribution of medicines and/or vaccines as available. Implement prioritized service delivery and alternative staffing measures.
	Pandemic: increased and sustained transmission in general population	
Green = Recovery	Post pandemic	 Resume routine operation, as able, based on staffing Assist employees and community in recovery Evaluate response and update plans

During a pandemic, the Town of ???? will be responsible for maintaining essential town services and supporting the public health response. The Town of ???? may activate its Emergency Operations Center when unified internal response is necessary and will coordinate with the ???? County Emergency Operations Center (EOC) upon activation. The Town of ???? will maintain communication with the ???? County Public Health Department and will implement recommended procedures that promote the health and safety of employees as is practical.

Authorities and Protocols

CONTINUITY PLANNING TEAM

The Town Manager will serve as the Pandemic Continuity of Operations Planning Coordinator. Town department heads will participate in the development of this plan that will identify and prioritize essential town services. This plan will also describe the role and responsibilities of each town department in the provision of these services.

INTERNAL AUTHORITY

Mayor:

The Mayor, in consultation with the Town Council and Town Manager will have the authority to activate and terminate the response plan, alter operations and recovery activities. The Mayor will also serve as the Town's spokesperson and may delegate this authority.

Town Manager: The Town Manager will oversee the overall implementation of the plan. He/She has the authority to reassign employees between departments to insure the delivery of essential town services. The Town Manager is responsible for the collaborative construction of the Pandemic Continuity of Operations Plan as well as oversight in the stockpiling of material goods needed to prevent the spread of disease.

Designated Emergency Management Director: The Designated Emergency Management Director is responsible for plan coordination in all phases of its implementation. The Emergency Management Director shall keep the Town Manager fully aware of implementation status and the progress of activities.

Department Heads: Department heads will direct the operations of their departments in accordance with instructions received from the Town Manager. Department heads have the authority to reassign job tasks within their department.

PROCEDURES

The triggering mechanism for implementing activity responses as depicted in Table One is the Activity Phase as communicated by the North Carolina Department of Health.

ADMINISTRATION AND LOGISTICS

Each Town Department is responsible for maintaining records of activities to mitigate a pandemic and maintain the essential town services they are responsible for. All reports of employee absence will be submitted to the Human Resources Director to evaluate the readiness of the Town's workforce.

Essential Town Services

PRIORITY OF SERVICES

The Town of ???? has considered the following factors when determining priority service levels:

- Health, welfare and safety of employees;
- Health, welfare and safety of citizens;
- Economic impact of not providing service;
- Impact of performing (or not performing) services;
- Ability to provide services during a pandemic; and
- Availability of alternate methods of delivering services.

Essential services have been prioritized using the following categories and criteria.

Priority 1: Immediate threat to public health, safety or welfare. Activities that must remain uninterrupted. Generally, these would include agencies and facilities that operate 24 hours a day and/or 7 days a week. (*If the service closed on a weekend or holiday, it may not be a Priority One service.*)

These categories include:

Fire Suppression	Law Enforcement	
Emergency Road Repair	Emergency Operations Center	
IT	Roadway Clearance	

Priority Two: Direct economic impact, constitutionally or statutorily mandated periods, or civil disorder may develop if not performed in a few days. Activities that can be disrupted temporarily or might be periodic in nature, but must be re-established within a few days, usually within a pay period.

These categories include:

Payroll processing	Procurements and contracting		
Legal services	Payments		
Disaster recovery assistance	Equipment repair		
Phone service	Cleaning and disinfecting facilities		
Time sensitive building inspections	Building maintenance		
Vehicle maintenance	Town Council meetings		

Priority Three: Regulatory services required by law, rule or order that can be suspended or delayed by law or rule during an emergency. Activities that can be disrupted temporarily (4-6 weeks) but must be re-established before the pandemic wave is over.

These categories include:

Mail services	Renewals
Grant and contract management	Issuing building permits
Project management	General inspections (not time sensitive)
Investigation of complaints	Filling job vacancies

Priority Four: All other services that could be suspended during an emergency and are not required by law or rule. Activities that can be deferred for the duration of a pandemic wave.

These categories include:

Educational programs	Crime and fire prevention programs		
Community outreach events	Training (not time sensitive)		
Grounds maintenance	Research		
General maintenance	Recreational programs		
Financial analysis	Reception desks		
Town boards and commissions			

PRIORITY OF SERVICE MATRIX:

Is this service in operation 24/7/365 including holidays or weekends, or is the service required as part of an emergency response?

YES If yes, this is a: Priority Service ONE NO

See below.

Will the lack of this service result in direct economic impact to employees or citizens?

YES If yes, this is a: Priority Service TWO

NO See below.

Will disruption of this service result in large-scale public unrest or panic?

YES If yes, this is a: Priority Service TWO NO See below.

Is this a service required by a statute that can only be delayed a few days or can be suspended by an emergency declaration or executive order?

YES If yes, this is a: Priority Service THREE NO If no, this is a: Priority Service FOUR

Operational Response

The following activities will occur during Town of ???? Response Phases. It is understood that the tasks and responses assigned to each phase will very likely continue into the next phase. The list is cumulative, with items from each phase carrying over to the next phase. Monitoring will occur in all phases.

The Designated Emergency Management Director will be the overall coordinator for a pandemic outbreak. Town departments will work collaboratively and utilize the National Incident Management System (NIMS) for planning and managing work.

It is the responsibility of each department head to:

- Ensure that all employees within their department are familiar with expectations;
- Ensure that incident command (NIMS) training occurs in each department as applicable;
- Define each position's certification and training requirements;
- Re-allocate staff internally during a pandemic to ensure priority service 1 and 2 functions are accomplished; *and*
- Compile and report absenteeism to the Human Resources Department daily.

Activities During Phases

The following are actions for each of the phases. It should be noted that these actions are progressive as the seriousness increases from Activity Phase 1-2.

Phase Yellow (Preparedness): Activity Phases 1-2

Designated Emergency Management Director will:

- Educate employees on appropriate influenza information
- Assist the ???? County Health Department in educating, residents, and businesses on appropriate information.
- Encourage residents and employees to have cache of necessary items at their residents.
- Create a Town Pandemic Continuity of Operations Plan (PCOP).
- Determine what type of protective actions/supplies will be required at each stage.

Phase Red (Response): Activity Phases 3-6

In the case of pandemic virus in the U.S., confirmed by Centers for Disease Control.

- A. The Designated Emergency Management Director will serve as staff liaison to the Mayor and Town Manager and will coordinate all aspects of this plan. The Designated Emergency Management Director shall notify the Town Manager of the status of the pandemic. The Town Manager shall notify the Mayor and Town council.
- B. Department Heads will do the following depending upon progression of the pandemic:
 - 1. Work with other Department Heads to refresh training for Town Employees on preventative techniques.
 - 2. Instruct Town employees to stay at home if they are displaying flu-like symptoms.
 - 3. Reduce number of face-to-face meetings throughout Town.
 - 4. Implement social distancing/health hygiene protocols for all town employees.
 - 5. Shift workloads and employees as needed.
 - 6. Contact school officials regarding their plan.
 - 7. Consider activation of the Town's Emergency Operations Center.

Phase Green (Recovery): Activity Phase 7

- A. Conduct evaluation. Conduct an after-action evaluation of the Town's pandemic response.
- B. Update plans. Update the Pandemic Continuity of Operations Plan and other emergency response plans as appropriate.

Communication

The Designated Emergency Management Director (DEMD) shall activate the Communications Committee during the Red Response Phase of this Pandemic Plan or as deemed necessary. A Communications Committee shall be formed and shall consist of the DEMD, Mayor, Town Manager, Public Information Officer, and appropriate department heads as designated by the Town Manager.

A. Public Information Officer (PIO)

Is the only person authorized to communicate messages to the public during all phases. If the PIO were unavailable, the Town Manager would designate an alternate PIO to perform these duties. These individuals would be given access to all information necessary to carry out their roles as PIO for the Town of ????.

B. Communications Committee

The Communications Committee is charged with the following emergency public information responsibilities:

- 1. Support the Town PIO in the dissemination of emergency public information.
- 2. Establish coordinated news conferences, news releases and to determine schedule for media briefings.
- 3. Prepare and disseminate educational and newsworthy information through the Town's various media including the Town's Web site, Newspapers, Cable TV, pamphlets, and other venues as deemed necessary.
- 4. Coordinate actions with the designated PIOs representing other state and federal agencies, voluntary agencies and local governments involved in the emergency response.
- 5. Coordinate actions with the designated PIOs from any business/industries that have direct involvement in the response to, or the recovery from a pandemic.
- 6. Coordinate rumor control, through the various media including the Town's Web site, cable television, local newspaper, radio and other means necessary.
- 7. Monitor media reports and other sources of information to identify and address unanticipated public health concerns, rumors, and other issues that may arise during an event. As necessary, develop materials to address these concerns.
- 8. Centralize all information by managing requests for, and release of, information through the Communications Committee.
- 9. Ensure that coordinated communications occur between all departments.

Town Departments

Town Departments will assist with the following public information tasks:

1. Support the Town PIO in the dissemination of emergency public information.

- 2. Serve as a source of public information for the Town PIO. Department Heads will provide pertinent information to the Town PIO, concerning the emergency.
- 3. Distribute various guidance materials. As one of its ongoing responsibilities, various departments may be asked to distribute a variety of disaster response and recovery-related documents that are intended for public use.
- 4. Coordinate and distribute intelligence information.

Prevention and Control

General Principles

The goal is to protect the health of employees and the public. Several disease containment measures may be considered. These include the following:

- 1. **Isolation:** restriction of movement/separation of ill/infected persons with a contagious disease;
- 2. **Quarantine:** restriction of movement/separation of well persons who likely have been exposed to a contagious disease;
- 3. **Self-shielding:** self-imposed exclusion from infected persons or those who may be infected (*e.g., staying home*);
- 4. **Social distancing:** reducing interactions between people to reduce the risk of disease transmission; and
- 5. **"Snow" days:** days on which offices, schools, transportation systems are closed or cancelled, as if there were a major snowstorm.
- 6. **Personal protective equipment (PPE):** The use of personal protective equipment such as hand hygiene products, tissues, masks and gloves.

Of these measures, self-shielding is the most effective measure that can be taken at the individual level to prevent infection. Department Heads may consider allowing employees to work from home when possible. It is important that employees and visitors are educated about the symptoms and do not enter the workplace if they are symptomatic. Workplace visitors should be strictly limited to those essential for the operation of Priority Service Functions.

Department Heads will ensure:

- Each department understands its responsibilities under this plan.
- Employees receive information about pandemic, including information regarding how to prevent transmission of the virus with hand hygiene, environmental cleaning, and social distancing via brochures, newsletters, employee notice boards, and information included with pay stubs.
- Workers are cross-trained if practical for Service Priority 1 and 2 functions.
- Visual alerts are posted at entry points to the facility, advising staff and visitors not to enter if they have symptoms of illness.
- Adequate supplies of tissues, hand hygiene products (*e.g., soap and water, paper towels, alcohol-based hand rubs*), cleaning supplies, and masks are available for employees.
- Visual alerts with key infection control messages (*hand hygiene, covering coughs and sneezes, and social distancing*) should be posted in the workplace (*including entrances, notice boards, conference rooms, break rooms, and restrooms*).
- Decontamination stations consisting of antibacterial wipes and towels will be stationed at entrances to town buildings.
- Shared work areas such as desktops and tables, and frequently touched surfaces such as door handles, stair rails, etc., are cleaned and disinfected at least between shifts or

more often if possible. Routinely used cleaning products (EPA-registered disinfectants, bleach solution) may be used.

Pandemic Vaccine

If a vaccine for the pandemic virus strain is available, the North Carolina Department of Health and Human Services or Center for Disease Control (NCDHHS/CDC) will determine priority groups for vaccine and will inform the public on how the vaccine will be used. It may take six months or more from the beginning of the pandemic to manufacture the vaccine. Employees should be encouraged to receive the annual seasonal vaccine.

Antiviral Medications

Antiviral medications may play an integral role in the treatment and prevention of a pandemic; however, the certainty of their efficacy is currently unknown. Unlike a pandemic vaccine, antiviral medications are already available, however, the supply may be limited during a pandemic and these medications may not prove to be an effective treatment and prevention tool for a pandemic. If antivirals are available and thought to be efficacious, MDH/CDC will determine priority groups for antivirals and will inform the public on how antivirals will be used.

Heating, Ventilation, and Air Conditioning (HVAC) Systems

There is evidence that a virus can spread more easily in inadequately ventilated indoor spaces. Workspaces should be well ventilated. In office buildings, ventilation is usually done by using HVAC systems. HVAC should be maintained regularly according to appropriate standards and building codes. Filters should be cleaned and changed frequently.

Employee Health and Safety

Advice for Employees

- A virus is a respiratory disease that spreads easily from person to person.
- Do not come to work if you are ill, especially if you have any symptoms. The symptoms are fever, headache, fatigue or weakness, sore throat, cough, difficulty breathing, and muscle or join aches and pains. These symptoms usually occur suddenly.
- A virus is spread by coughs and sneezes, so cover your nose and mouth with a tissue or your upper arm when you are coughing, sneezing or blowing your nose. Throw used tissues away and clean your hands immediately.
- A virus is also spread when people touch their eyes, nose, or mouth with hands contaminated with discharges of the nose or throat of infectious people. It is important to keep your hands away from your eyes, nose and mouth, and to keep your hands clean to minimize the risk of infecting yourself with the virus.
- A virus is readily inactivated on hands by cleaning them with soap and water or an alcohol-based hand rub.
- To clean your hands with soap and water: lather them with soap and water (it is not necessary to use an antibacterial soap), rub hands together vigorously for 15-20 seconds (this is about the time it takes to sing the ABC song), rinse hands thoroughly with water, and dry hands with a clean cloth or paper towel or an automatic hand dryer.
- To clean hands with an alcohol-based hand rub: use a product that contains at least 60% alcohol, put enough rub on one palm to cover all surfaces of both hands, and rub hands together covering all surfaces of the hands and fingers until dry.
- Avoid exposure to the saliva of other people by not sharing glasses and eating utensils, etc.

Social Distancing

All employees will receive information on social distancing measures. Social distancing is encouraged for those employees remaining in the workplace; and ill employees are excluded from the workplace.

- 1. Department heads may implement the following Social Distancing Strategies:
 - Arrange for employees to work from home (e.g., telecommuting), as possible;
 - Encourage the use of flexible work schedules for employees who must be in the workplace to minimize contact with other employees;
 - Minimize face-to-face contact with other people by using telephone and the Internet to conduct business, even for employees in the same building;
 - Separate work teams into different work locations, as possible;
 - Stagger work shifts to minimize contact between employees;

- Avoid unnecessary travel and cancel or postpone non-essential meetings, gatherings, workshops, and training sessions;
- Allow an interval between shifts so that the worksite can be thoroughly ventilated (either opening all doors and windows or turning up air conditioning system);
- Bring a lunch from home and eat at desk or away from others (avoid the lunchroom, cafeteria, and crowded restaurants);
- Introduce staggered lunchtimes so the number of people in the lunchroom is reduced;
- Limit congregating in areas where people socialize. Employees should be instructed to do what needs to be done and then leave the area;
- If a face-to-face meeting with people is unavoidable, minimize the meeting time, using a large meeting room and instructing employees to sit as far away from other people as possible (>3 feet);
- Avoid shaking hands or hugging other people;
- Use stairs instead of crowded elevators; and
- Set up systems where clients can request information via phone, email, and fax and have information ready for fast pickup or delivery.

Workplace Cleaning

A virus can survive on nonporous surfaces up to 24-48 hours. Cleaning frequently touched surfaces can help reduce the risk of transmission. The transfer of bacteria and viruses from environmental surfaces to people occurs largely by hand contact with the surface followed by inoculation of the mucous membranes of the eyes, nose, or mouth by contaminated hands. In a pandemic, it is likely that there will be a shortage of cleaning staff and that available staff may be working outside of regular business hours to reduce the chance of exposure in the workplace. Therefore, it may be necessary for other employees to assist with cleaning their facilities.

- Routine cleaning tasks (e.g., vacuuming, floor cleaning, dusting) should be suspended and the focus should be on cleaning frequently touched surfaces/items in areas where employees are working (not all areas of a building may be used in a pandemic);
- Shared work areas such as desktops and tables, and frequently touched surfaces such as door handles, stair rails, faucet handles, etc., should be cleaned and disinfected by cleaning staff or other employees at least between shifts and more often if possible;
- Telephones and other equipment should not be shared. Equipment that must be shared should be cleaned and disinfected between users;
- Cleaning supplies should be made available for use by employees. Specialized cleaning solutions are not needed. Routinely used cleaning products (EPA-registered disinfectants, bleach solution) may be used;

- If bleach solution is used, mixing ¼-cup household bleach with 1 gallon of water makes bleach solution. This solution should be mixed fresh daily;
- Persons performing cleaning duties should wear cleaning gloves and should clean hands after removing gloves;
- Vacuuming and dusting should be avoided during a pandemic to reduce the spread of dust particles that could contain a virus. If dusting is performed, it should be damp, not dry. If vacuuming is performed, it should be done using vacuum cleaners with high-efficiency particulate air (HEPA) filters; and
- Remove non-essential items (e.g., magazines/newspapers) from common areas (such as lunchrooms).

Hand Hygiene

Transmission of a virus can occur by indirect contact from hands and articles freshly soiled with discharges of the nose and throat of an acutely ill individual. By frequently cleaning your hands, you eliminate germs that you have picked up from other people, from contaminated surfaces, or from animals and animal waste.

- Hand hygiene is an important step in preventing the spread of infectious diseases, including;
- Hand hygiene can be performed with soap and warm water or by using waterless alcohol-based hand sanitizers;
- Viruses are is readily inactivated by soap and water or an alcohol-based hand rub;
- Antibacterial hand wash products are not required because routine products, along with proper hand washing procedures, will inactivate the virus;
- Employees should take responsibility for keeping their hands clean and for minimizing hand contact with environment surfaces, both to reduce contamination of surfaces and to reduce the risk of contaminating their hands.

Personal Protection Equipment (PPE)

Employees whose work involves close contact with humans or animals known or suspected to be infected with a virus will be provided appropriate personal protective equipment (PPE). Although most employees outside of healthcare or animal control settings will not need PPE, the need for PPE by employees whose regular duties do not involve possible contact with infected humans or animals will be evaluated on a case-bycase basis.

MANAGEMENT OF ILL EMPLOYEES IN THE WORKPLACE

The latest North Carolina Department of Health and Human Services recommendations should be followed regarding management of employees who become ill at work and the identification of workplace contacts (see below).

A. Employee Becomes Ill at Work

If an employee feels ill or observes that another person is exhibiting symptoms at work, they should contact their supervisor as soon as possible.

The supervisor will determine if the employee has symptoms by using the Illness Screening Form as depicted below.

Illness Screening

Ask the ill person if they have any of the following symptoms:

- Fever (100.4 or higher)
- Headache
- Fatigue or muscular weakness
- Sore throat, cough, or difficulty breathing
- Muscle or joint aches or pains

An ill person with any of the above listed symptoms should be considered a suspected case of pandemic.

If the employee does not have any symptoms listed the employee is unlikely to have a virus. However, the ill employee should still be advised to go home as soon as possible and keep their supervisor aware of their health status and to contact their health care provider.

If the ill employee has any of the symptoms listed, the supervisor should:

- Consider the ill employee to be a possible pandemic virus case.
- Inform the ill employee where they can find a mask and instruct them to wear it immediately. This will help prevent other employees from exposure to respiratory secretions/aerosols from the ill employee.
- Advise the ill employee to leave the workplace immediately and to contact their healthcare provider.

- Advise the ill employee not to use public transportation if possible. If the use of public transportation cannot be avoided, the ill employee should be advised to clean their hands before using public transportation, to wear a mask, and to stay as far away from other passengers as possible.
- Advise the ill employee who cannot immediately leave the workplace because of transportation or other issues to isolate themselves from others in a room with a door that closes.
- Request to be informed when the ill employee has left the workplace.
- After the ill employee has left the workplace, ensure that their work area and any other known places they have been that day are thoroughly cleaned and disinfected.
- Advise an ill employee not to return to work until they are healthy and no longer infectious using the current NCDHHS/CDC definition of the infectious period for pandemic.

Return to Work of a Recovered Individual

Employees who have recovered will be allowed to return to work at the sole discretion of the Town Manager.

Pandemic Policies

HUMAN RESOURCES CONSIDERATIONS

In preparation for the pandemic, where a significant amount of Town employees could be absent for various reasons, the Town may implement policy changes as recommended by the Human Resources Director and Town Manager and forwarded to the Town Council. These policy changes may include such things as travel, use of annual leave and compensatory time, family and medical leave, and alternate job duties.

Glossary

Contact

A contact is a term used to refer to someone who has been in proximity with an individual who is, or is suspected of being, infected with an infectious disease.

Hand hygiene

Hand hygiene is a term that applies to the cleaning of one's hands. This is usually done with soap and water, hand sanitizer, or hand wipes. To kill a virus hands must be washed with soap and water for 15 seconds and hand sanitizers or wipes must be used for 10 seconds and have an alcohol content of at least 60%.

Human to Human transmission

Human-to-human transmission refers to the ability of an infectious disease to be passed from one person to another. Some viruses can be transmitted between animals (animal-to-animal), some can be transmitted from animal-to-human (and vice versa), and some can be transmitted from human-to-human.

Infection Control

Infection control is a broad term used to describe several measures designed to detect, prevent, and contain the spread of infectious disease. Some measures include hand washing, respiratory etiquette, use of personal protective equipment (PPE), prophylaxis, isolation, and quarantine.

Infectious Disease

An infectious disease, or communicable disease, is caused by the entrance of organisms (e.g. viruses, bacteria, fungi) into the body that grow and multiply there to cause illness. Infectious diseases can be transmitted, or passed, by direct contact with an infected individual, their discharges (e.g. breath), or with an item touched by them.

Isolation

Isolation is when sick people are asked to remain in one place (e.g. home, hospital), away from the public, until they are no longer infectious.

Pandemic

A pandemic , or pandemic flu, occurs when a new subtype of virus: 1) develops and there is little or no immunity (protection due to previous infection or vaccination) in the human population; 2) it is easily passed from human to human; 3) is found in many countries; and, 4) causes serious illness in humans.

Personal Protective Equipment

PPE is specialized clothing or equipment worn to protect someone against a hazard including an infectious disease. It can range from a mask or a pair of gloves to a combination of gear that might cover some or all the body.

Quarantine

A quarantine is when healthy people who have been near an infected person are asked to remain in one place, away from the general public, until it can be determined that they have not been infected.

Respiratory etiquette

Respiratory etiquette, or good coughing and sneezing manners, is one way of minimizing the spread of viruses which are passed from human-to-human in the tiny droplets of moisture that come out of the nose or mouth when coughing, sneezing, or talking. Healthy and sick people should cover their nose and mouth when sneezing, coughing, or blowing their nose and then put the used tissue in the trash.

Seasonal Influenza

Seasonal Influenza, commonly referred to as the flu, is an infectious disease. In the United States, flu season usually occurs between December and March. The virus is one that can change easily; however, there is usually enough similarity in the virus that the general population is immune from previous infection or vaccination. Each year experts monitor the virus and create a new vaccine to address changes in the virus. For this reason, people are encouraged to get a flu shot each year.

Social Distancing

Social distancing is an infection control strategy that includes methods of reducing the frequency and closeness of contact between people to limit the spread of infectious diseases. Generally, social distancing refers to the avoidance of gatherings with many people.

ANNEX 1: MANAGEMENT OF ILL EMPLOYEES

Advise employees that if a person feels ill, or if someone observes that another person is exhibiting symptoms of illness at work, they are to contact their department supervisor.

Duties of the Department Supervisor include:

- 1. Speak with the individual.
- 2. Check if the employee has any symptoms.
 - If the employee does not have any symptoms, they are unlikely to have influenza and should be reassured and advised to call the supervisor again later or to see their doctor if they are still concerned.
 - If the employee has symptoms, they should be treated as a suspected case.
- 3. Complete a Suspect Case Form (attached).
- 4. Provide employee with a surgical mask and instruct them to wear mask immediately. (This is to help protect other staff.)
- 5. Instruct employee to leave work. If possible, public transportation should be avoided. If public transportation is unavoidable, instruct the employee to keep the mask on and cough or sneeze into a tissue while traveling.
- 6. Advise the employee to contact a health professional.
- 7. Advise the employee on how long to stay away from work.
- 8. Inform the employee's department head that they have left work.
- 9. The Department Head should inform the Human Resources Director and provide the HR Director with the Suspect Case Form for Management of Staff Who Become III at Work.
- 10. Have the employee's workstation cleaned and disinfected.
- 11. The Town of Grand Rapids may ask departments to 1) identify contacts (once an employee is suspected to be infected); 2) advise contacts that they have been in contact with a person suspected of having; and/or 3) ask contacts to go home, and stay home until advised otherwise.
- 12.Set up a system to manage the absence and return to work of the employee and their contacts. Include:
 - Decisions on sick leave and cover arrangements
 - checking on the employee during his/her absence from work
 - A process for ensuring that the employee is healthy and not infectious before allowing them to return to work
 - Encourage employees to return to work once they have recovered.

Employee suspected of becoming ill at work

Name:	Date:		 Visitor 		Date of Birth:
Name.	Date:		• VISILOI		Date of Difth.
			 Employe 	e	
Job Title:	Worksite	2:	Location of	Isolation:	
Address:					
Telephone no:					
Symptoms noticed:					
• Fever					
	Time of fe	ver on-s	et:		
Headache					
 Dry cough 	Time of is	olation			
Cold					
• Body aches					
• Fatigue	Date expe	cted to r	eturn to woi	rk:	
• Other:	• Other:				
Where referred:	Where referred:				
Notes:					
Close contacts during pr	evious 2 da	iys:			
Name:	Email:		one no.:	Address:	
Name.		Тегерін		Audress.	
1					
2					
_					
3					
·					
4					

Details of Reporter			
Name:			
Job Title:			
Telephone no.			
(Work)	(Home)) –	_(Other)

Completed form must be submitted to Human Resources

ANNEX 2: PRIORITIES OF SERVICES BY DEPARTMENT

Priority 1	Priority 2	Priority 3	Priority 4
Essential, no delay	Essential, but	Non-essential, but	Non-essential, not
in service	service can be	timely	timely
	delayed		

Administration

IΤ

Г			

Fire

1	Fire suppression
1	Car accidents
1	Fire Alarms
1	Medical calls
2	Training

Police

1	Calls for service
1	Car accidents
1	DWI
2	Warrant service
2	Training
2	Burglar alarms
2	Town bank escorts
3	Parking enforcement
3	Funeral escorts
4	Child restraint installations
4	Community outreach events
4	Checking stations (general)

Customer Service

Public Services

Planning

Communications

Library

Clayton Center

Finance

Electric

Town Clerk

Human Resources

Parks and Recreation